



WEATHERPROOF LUMINAIRES



WEATHERPROOF LUMINAIRES



Introduction

Weatherproof luminaire is the surface ceiling lamp tray for indoor/outdoor use. The manufacture process is extremely strict, high quality output with CE, ROHS certified.

Feature

- Housing is made of Acrylon Butadiene Styrene Plastics (ABS) in cream base color. which has an excellent impact resistant property as waterproof, dustproof.
- Cover is made by transparent poly-carbonate (PC).
- Sealing is a natural silicon gel installed-in between housing and transparent cover.
- Toggles are made by stainless steel or PC.
- Mounting brackets are made by stainless steel.
- Lamps holders are made of poly-carbonate made, fireproof.
- Gear tray is painted following the process undergo rust removal, grease removal, rustproof treatment and full spray-coated treatment in white.

Application area

- Applied to farm, harbor, chemical factory, garages, workshops, factory, car parks, storage areas, etc.

Mounting type


- Surface mounting.

Approval and marking



IP65


Dimension (mm):



Product color



Cream base color




WEATHERPROOF LUMINAIRES


Variant




SCW118




SCW218



SCW136



SCW236




WEATHERPROOF LUMINAIRES

Specification

Model	SCW118	SCW218	SCW136	SCW236
Number of lamp and rated power	1x10W (not include tube lamp)	2x10W (not include tube lamp)	1x20W (not include tube lamp)	2x20W (not include tube lamp)
Input voltage	dependent on tube lamp	dependent on tube lamp	dependent on tube lamp	dependent on tube lamp
Others lighting specifications	dependent on tube lamp	dependent on tube lamp	dependent on tube lamp	dependent on tube lamp
Cover	PC	PC	PC	PC
Protection grade	IP65	IP65	IP65	IP65
Product life	>50000 hours	>50000 hours	>50000 hours	>50000 hours

Accessory



Stainless-steel clips

MA-CLIP-M



Plastic clips

MA-CLIP-P




Suspension hook

MASCW-SH



Suspension chain

MASCW-SC



Stainless-steel bracket

MASCW1/2-BK

